

Coefficient of Variation Options in IBM SPSS ATCS

Classification: Controlled. Copyright ©2025 Version 1. All rights reserved.

Coefficient of Variation

• Addition of Coefficient of Variation in Frequencies and Descriptive Statistics.

taistics	×	ta Descript
Percentile Values Quartiles Cut points for: 10 equal groups Percentile(s): Add Change Remove	Central Tendency	 ✓ Mean Dispersio ✓ Std. do ↓ Varian □ Range Distribution □ Kurtos
Dispersion Std. dev Variance Maximum Range S.E. mean Continue Cancel	Values are group midpoints Distribution Skewness Kurtosis Help	Display C Varia <u>b</u> Alphat As <u>c</u> en <u>D</u> esce
	rioth	



Descriptive Statistics

jobcat Employ	yment Category	N	Minimum	Maximum	Mean	Std. Deviation	CV
1 Clerical	jobtime Months since Hire	363	63.00	98.00	81.0661	10.11050	12.4719
	Valid N (listwise)	363					
2 Custodial	jobtime Months since Hire	27	67.00	95.00	81.5556	8.48679	10.4061
	Valid N (listwise)	27					
3 Manager	jobtime Months since Hire	84	64.00	98.00	81.1548	10.41025	12.8277
	Valid N (listwise)	84					





Thank You

For more information

Please visit www.spssanalyticspartner.com

This presentation's content is classed as confidential information.

Attendees of this meeting/call should not disclose information shared in this presentation to any third party without the express consent of Version 1.